

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

MERCK

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product number 697383

Product name AZ Barli II 90

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Materials for use in technical applications

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department PM-OQR * e-mail: PM_SDS_Supply@merckgroup.com

1.4 Emergency telephone number

Please contact the regional company representation in your country.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.
Calculation method

Specific target organ toxicity - single exposure, Category 3, Respiratory system H335: May cause respiratory irritation.
Calculation method

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Precautionary statements :

Prevention:

P210 Keep away from heat.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

Hazardous components which must be listed on the label:

687-47-8

Reduced Labelling (<= 125 ml)

Hazard pictograms



Signal word
Danger

Hazard statements
H318 Causes serious eye damage.

Precautionary statements
P280 Wear eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

Chemical nature : Contains
organic solvents
Polymer compounds

3.1 Substance

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. Registration number	Classification	Concentration (% w/w)
687-47-8	01-2119516234-49- xxxx	Flam. Liq. 3; H226 Eye Dam. 1; H318 STOT SE 3; H335	>= 50 - <= 100

Substances with a workplace exposure limit

1-methoxy-2-propanol	107-98-2 01-2119457435-35- xxxx	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 10
----------------------	---------------------------------------	---------------------------------------	-------------

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : fresh air.
- In case of skin contact : Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- In case of eye contact : rinse out with plenty of water.
Immediately call in ophthalmologist.
Remove contact lenses.
- If swallowed : immediately make victim drink water (two glasses at most).
Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation and corrosion
Cough
Shortness of breath
Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water
Foam
Carbon dioxide (CO₂)
Dry powder

- Unsuitable extinguishing : For this substance/mixture no limitations of extinguishing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

media

agents are given.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Combustible.

Vapours are heavier than air and may spread along floors.
Forms explosive mixtures with air at elevated temperatures.
Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Cool closed containers exposed to fire with water spray.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Advice for non-emergency personnel:
Do not breathe vapours, aerosols.
Avoid substance contact.
Ensure adequate ventilation.
Keep away from heat and sources of ignition.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
Protective equipment see section 8.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Risk of explosion.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7 and 10).
Take up with liquid-absorbent material (e.g. Chemisorb®).
Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Observe label precautions.
- Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
- Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container.
- Further information on storage conditions : Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.
- Risks from decomposition products: see section 10.3
- Protected from light.
- Recommended storage temperature : Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Personal protective equipment

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled and must meet the specifications of a standard EN/ISO/DIN. The chemical resistance of the protective equipment should be enquired at the respective supplier.

- Eye protection : Tightly fitting safety goggles

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Hand protection	:	
		splash contact
Glove material	:	butyl-rubber
Glove thickness	:	$\geq 0,5$ mm
Break through time	:	> 10 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example:
Chemically resistant gloves

Protective measures : Flame retardant antistatic protective clothing.

Respiratory protection : required when vapours/aerosols are generated.

Recommended Filter type: : ABEK-filter

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.
Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	clear amber red
Odour	characteristic ester-like
Odour Threshold	No information available.
pH	Not applicable
Melting point	No information available.
Boiling point/boiling range	118 - 154 °C
Flash point	53 °C Method: closed cup
Evaporation rate	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	approximately 2 mbar at 20 °C
Relative vapour density	No information available.
Density	1,03 g/cm ³ at 25 °C
Solubility(ies)	No information available.
Water solubility	partly miscible
Partition coefficient: n- octanol/water	Not applicable
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, kinematic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	No information available.

9.2 Other data

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapour/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Sensitivity to light

10.3 Possibility of hazardous reactions

Hazardous reactions : Risk of explosion with:
chlorates
Phosgene
organic nitro compounds
hydrogen peroxide
nitrogen oxides
perchlorates

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Risk of ignition or formation of inflammable gases or vapours with:

Alkali metals
Alkaline earth metals
chromium(VI) oxide

Violent reactions possible with:

Strong oxidizing agents
acid halides
Acid anhydrides
Acid chlorides

Exothermic reaction with:

Oxidizing agents
Nitric acid
Aldehydes
Amines
fuming sulfuric acid
Iron
Aluminium
Chlorine
phosphorus trichloride
Strong acids

10.4 Conditions to avoid

Conditions to avoid : Heating.

10.5 Incompatible materials

Materials to avoid : no information available

10.6 Hazardous decomposition products

no information available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : No data available
Acute inhalation toxicity : Symptoms: mucosal irritations, Cough, Shortness of breath,
Possible damages:;, damage of respiratory tract

Acute dermal toxicity : No data available

Components:

687-47-8:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403

Acute dermal toxicity : No data available

1-methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Remarks: (IUCLID)

Acute inhalation toxicity : LC50 (Rat): > 6 mg/l
Exposure time: 4 h
Test atmosphere: aerosol
Remarks: (IUCLID)

Acute dermal toxicity : LD50 (Rabbit): 11.000 mg/kg
Remarks: (External MSDS)

Skin corrosion/irritation

Product:

No data available

Components:

687-47-8:

Result: Mild skin irritation

1-methoxy-2-propanol:

Species: Rabbit

Result: No irritation

Remarks: (IUCLID)

Serious eye damage/eye irritation

Product:

Remarks: Risk of blindness!

Components:

687-47-8:

Result: Severe eye irritation

1-methoxy-2-propanol:

Species: Rabbit

Result: slight irritation

Remarks: (IUCLID)

Respiratory or skin sensitisation

Product:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Components:

687-47-8:

Result: Did not cause sensitisation on laboratory animals.

1-methoxy-2-propanol:

Test Type: Sensitisation test:

Species: Guinea pig

Result: negative

Remarks: (IUCLID)

Germ cell mutagenicity

Product:

No data available

Components:

1-methoxy-2-propanol:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Product:

This information is not available.

Components:

This information is not available.

STOT - single exposure

Product:

No data available

Components:

687-47-8:

Assessment: May cause respiratory irritation.

1-methoxy-2-propanol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Product:

No data available

Components:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Repeated dose toxicity

Product:

No data available

Components:

No data available

Aspiration toxicity

Product:

No data available

Components:

No data available

11.2 Other information

Product:

No data available

Other dangerous properties can not be excluded.

SECTION 12: Ecological information

12.1 Toxicity

Product:

No data available

Components:

687-47-8:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 320 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: (External MSDS)

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 683 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): 2.200 mg/l
Exposure time: 70 h
Remarks: (External MSDS)

1-methoxy-2-propanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 4.600 - 10.000 mg/l
Exposure time: 96 h
Remarks: (IUCLID)

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l
aquatic invertebrates : Exposure time: 48 h
Remarks: (IUCLID)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 72 h
Remarks: (External MSDS)

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Remarks: (External MSDS)

12.2 Persistence and degradability

Product:

No data available

Components:

687-47-8:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d

Chemical Oxygen Demand (COD) : 1.620 mg/g

1-methoxy-2-propanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: ca. 90 %
Exposure time: 29 d
Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Product:

Bioaccumulation : No data available

Components:

687-47-8:

Partition coefficient: n-octanol/water : log Pow: 0,06

1-methoxy-2-propanol:

Partition coefficient: n-octanol/water : log Pow: 0,37 (20 °C)

12.4 Mobility in soil

Product:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Components:

687-47-8:

No data available

1-methoxy-2-propanol:

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

687-47-8:

No data available

1-methoxy-2-propanol:

Assessment : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII..

12.6 Other adverse effects

Product:

Additional ecological information : No data available

Discharge into the environment must be avoided.

Components:

687-47-8:

No data available

1-methoxy-2-propanol:

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

Air transport(IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

14.1. UN/ID No. : UN 1993
14.2. Proper shipping name : Flammable liquid, n.o.s.
(Ethyl Lactate, 1-Methoxy-2-propanol)
14.3. Class : 3
14.4. Packing group : III
14.5 Environmentally hazardous : --
14.6 Special precautions for user : no

Sea transport(IMDG)

14.1. UN number : UN 1993
14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Ethyl Lactate, 1-Methoxy-2-propanol)
14.3. Class : 3
14.4. Packing group : III
14.5 Environmentally hazardous : --
14.6 Special precautions for user : yes
EmS Code : F-E, S-E

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

Land transport(ADR/RID)

14.1. UN number : UN 1993
14.2. Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Ethyl Lactate, 1-Methoxy-2-propanol)
14.3. Class : 3
14.4. Packing group : III
14.5 Environmentally hazardous : --

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P5c	FLAMMABLE LIQUIDS	5.000 t	50.000 t

Storage class : 3

Other regulations : Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements

H226 : Flammable liquid and vapour.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.
H336 : May cause drowsiness or dizziness.

Key or legend to abbreviations and acronyms used in the safety data sheet

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

AZ Barli II 90

Version: 1.0

Product number: 697383

Date of first issue: 07.11.2017

Print Date: 05.02.2018

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.